


UPHOLSTERY FABRIC SPECIFICATION

DESIGN	DIVINE	REPORT No.	2003/015
COMPOSITION	60% Australian worsted wool 40% olefin	DATE	11/07/03
WIDTH	137cm	WEIGHT	380gsm
ROLL SIZE	60m	CTA Care Code	1
PATTERN REPEAT H 31.0cm / V 33.0cm			

Item	Test Method	Test Results	
ABRASION	Martindale AS2001.2.25 (12kpa pressure) Report # AWTa 7-514940-MN	51 875	
SEAM SLIPPAGE	AS2001.2.22 Report # DJH 224016	Warp – 4.0mm Weft – 3.8mm	
PILLING	Martindale IWS196 Report # DJH 224016	5	
COLOURFASTNESS TO LIGHT	AS2001.4.21 Report # DJH 224016	>5	
FIRE RATINGS	AS1530.3 Report # AWTa 7-514941-BN	Ignitability	12
		Spread of Flame	0
		Heat Evolved	2
		Smoke Developed	4
ENVIRONMENTAL INFORMATION SYSTEM	<u>Raw Materials</u> - 60% rapidly-renewable content - 40% low-embodied-energy material : Olefin has a lower embodied energy compared to polyester and nylon <u>Production</u> - Environmental Improved Production Process : reduced energy & water consumption, reuse of water (30%), reuse/recycling of waste <u>Human Health</u> - Wool absorbs prevalent indoor air contaminants therefore benefiting indoor air quality <u>Disposal</u> - 60% biodegradable (wool content) and reusable or recyclable through INSTYLE's reuse recycling program, REVIVE®, designed to give uncontaminated, wool-rich textiles a second life		



COMMERCIAL TEXTILE ASSOCIATION
OF AUSTRALIA & NEWZEALAND
LIMITED

APPROVED BY: 
Louise Cramp, BSC Textile Technology, Product Manager

REVISION: R72/04/201200